Advanced Strategies for Mitigating Water Contamination through Integrated Chemical and Ecological Solutions

ABSTRACT

Aim: This review explores advanced strategies of water contamination mitigation by integrated chemical and ecological solutions, assessing their efficiency in surface and groundwater treatment of harmful pollutants such as bromides and chlorides. The study aims to assess the value of these integrated approaches and their potentials to ensuring water quality improvement and increased protection of public health.

Study Design: This study involves a review of literature on combined chemical treatment and ecological methods of water body contamination that takes into account the period from 2019 through 2024. The empirical evidences from the reviewed literature showcased the efficiency and limitation of such integrated strategies in different environmental perspectives.

Methodology: The research was based on a comprehensive literature review from databases such as Google Scholar, PubMed, Scopus, and Web of Science. It focused on those studies that assessed the application of chemical methods like advanced oxidation processes and nanomaterials along with ecological solutions such as constructed wetlands and phytoremediation. Various case studies have been reviewed from different regions like the U.S. and other industrialized countries concerning the scalability and generalizability of these approaches.

Results: This review identified 12 relevant studies concerning the successful integration of chemical and ecological strategies in mitigating water contamination. This study points to some of the key findings which include the synergy between the chemical methods, advanced oxidation processes for fast contaminant degradation, and ecological solutions such as phytoremediation, which ensures the long-term sustainability of such approach. These integrated systems have been efficient in treating pollutants like bromides, chlorides, and heavy metals, besides observing remarkable improvements in water quality in several case studies.

Conclusions: Integrated chemical and ecological approaches are highly effective in addressing water contamination challenges. These strategies not only provide immediate improvements in water quality but also offer long-term environmental sustainability. However, issues such as cost, scalability, and the need for specialized monitoring systems remain significant challenges. Further research is needed to optimize these systems and to explore their applicability in varying geographical and economic contexts.

1. INTRODUCTION

Water contamination remains one of the most pressing global challenges, affecting public health, economic stability, and the health of aquatic ecosystems [1]. The increasing presence of both organic and inorganic pollutants, such as heavy metals, pharmaceuticals, pesticides, and industrial by-products, has raised concerns about the capacity of existing water treatment technologies to provide sustainable solutions [2, 3]. There is a surge in water pollution globally due to industrialization, urbanization, and poor wastewater management practices, especially in developing regions [1, 4]. Consequently, surface and groundwater systems are under increased contamination, hence the necessity for effective advanced and sustainable water treatment technologies.

Water contamination results from several anthropogenic activities, with agricultural runoff and industrial discharge contributing significantly to contamination levels. Pesticides, fertilizers, and heavy metals from agriculture often enter water bodies, where they persist and accumulate [5]. Industrial activities, particularly in the chemical, pharmaceutical, and textile sectors, release complex pollutants into aquatic ecosystems, which are difficult to remove using conventional water treatment methods [3]. Besides, conventional water treatment methods, like coagulation, flocculation, and chlorination, generally work well in removing big particulates and pathogens but are inefficient in the removal of emerging contaminants such as pharmaceuticals, endocrine-disrupting chemicals, and heavy metals [6, 7]. These deficiencies therefore necessitate the upgrading of water treatment systems that are more advanced and capable of removing a wide range of contaminants more effectively and in an environmentally friendly way.

To address these challenges, researchers have begun to turn to integrated chemical and ecological solutions that merge the strengths of both chemical treatments and ecological remediation techniques. The strategy will involve bridging gaps between the speed and precision of chemical treatments and the sustainability and cost-effectiveness of ecological solutions. Chemical treatments, such as advanced oxidation processes, adsorption, and membrane filtration, are widely recognized for their effectiveness in degrading or removing organic pollutants and heavy metals. Advanced Oxidation Processes (AOPs) generating hydroxyl radicals, which may decompose even persistent pollutants, have demonstrated significant potency in degrading those contaminants that up to now are hard to decompose [8]. The adsorption techniques based on activated carbon, biochar, and various nanomaterials proved efficient in removing toxic compounds from contaminated water [1]. However, while these chemical treatments are effective, most of them have a number of disadvantages, including high energy consumption, generation of secondary pollutants, and operational costs. Besides, some of the chemical treatment methods may require special infrastructure that could not be economically feasible in every community, let alone in developing regions [9]. This has raised concern about developing integrated approaches, since current chemical treatment cannot provide long-lasting effective ecological solutions alone and may propose newer systems for water treatments, sustainable and low cost with an environment-friendly attitude. Recently, some ecological technologies including phytoremediation, bioremediation, and artificial wetlands have gained much attention as supplemental technologies to clean water. Phytoremediation involves the use of plants to remove or degrade contaminants from water, and it has been particularly successful in removing heavy metals and organic pollutants [10]. Bioremediation, on the other hand, utilizes microorganisms to degrade harmful substances in water, offering a low-cost, sustainable method for water purification [11]. Constructed wetlands, which function by mimicking the natural filtration processes of wetlands, have also been very successful in wastewater treatment and water quality improvement in both urban and rural settings [12].

While ecological methods offer many advantages, including low cost, sustainability, and minimal energy use, they often are slower and less efficient at high contaminant concentrations. For example, constructed wetlands may not provide immediate relief in cases of heavy contamination, and the removal of certain pollutants, such as pharmaceuticals and endocrine disruptors, can be challenging [1]. As a result, integrating chemical methods that offer rapid and efficient pollutant removal with ecological processes that provide long-term water quality improvement presents an ideal solution. Constructed wetlands using the biofiltering action of plants, microorganisms, and soil have also been quite effective in polishing wastewater and improving water quality in both urban and rural settings [12]. However, despite these advantages, ecological solutions generally have more slow-acting action and may be of limited efficiency against complex or high-concentration contaminants. A combination of chemical and ecological methods thus has the potential to provide a promising strategy that would link rapid pollutant removal through chemical treatments to the long-term sustainability provided by ecological approaches. The integrated approach will not only offer better treatment solutions for a wide range of emerging contaminants but also contribute to the circular economy by minimizing chemical inputs and enhancing natural recovery processes of aquatic ecosystems [13, 14]. Hence, there is an urgent need to develop integrated strategies for these emerging contaminants, especially in regions with limited resources for advanced chemical treatments or where water scarcity is a concern.

In addition, the integration of chemical and ecological approaches is in line with global concepts of sustainability; for instance, the United Nations Sustainable Development Goals (SDGs), particularly goal number 6, which focuses on clean water and sanitation. Integrated solutions involving technology acting in synergy with natural processes of purification provide an effective method for water treatment, which is equally sustainable and thus with minimal environmental impacts in the future, and conservational of this ideal resource [15]. Although the number of studies dealing with integrated chemical and ecological water treatment is on the rise, there is still a considerable gap in understanding practical applicability at large-scale levels. Whereas small-scale studies and pilot projects have shown feasibility and effectiveness in integrated approaches, the upscale of solutions to meet the demands of larger urban or industrial areas is a challenge of its own. Issues such as cost, system design, operational efficiency, and regulatory frameworks need to be addressed for these integrated systems to be widely adopted [14]. Moreover, more studies should be conducted on the long-term viability of such integrated methods and their ecological consequences regarding how they will affect local ecosystems and the associated risk with the introduction of by-products into the environment due to chemical use.

2. METHODOLOGY

This study employs a comprehensive methodology that involves the discussion of advanced strategies in water contamination mitigation using integrated chemical and ecological solutions. The aim is to systematically identify, evaluate, and analyze the most current and relevant research on novel, effective approaches in addressing water contamination. The search will focus on works published from 2019 to 2024 to capture the current state-of-the-art trends and developments in environmental science that are vital in providing effective solutions to the ever-growing global challenge of water pollution.

Literature Search Strategy

A systematic literature search was made in four major academic databases, namely Google Scholar, PubMed, Scopus, and Web of Science, noted for their wide coverage of environmental science, chemical engineering, and ecological studies. Following a preliminary screening process, 238 records (see Figure 1) were obtained based on the main search

strings derived from the research question. This was followed by the elimination of duplicate records, which reduced them to 170 unique entries, screened through titles and abstracts. This step was necessary because only those studies specifically addressing the very topic of interest in this review, integrated chemical and ecological solutions for water contamination, can be selected. Those that were not relevant, dealing with other forms of environmental contamination, such as air or soil, or published before 2019, were excluded.

```
┌─────────────────────────────────────────────────────────────┐
│ Records identified through database searching (n= 238)        │
│                                                               │
│   •  Google Scholar (n= 85)                                   │
│                                                               │
│   •  PubMed (n= 70)                                           │
│                                                               │
│   •  Scopus (n= 55)                                           │
│                                                               │
│   •  Web of Science (n= 28)                                   │
└─────────────────────────────────────────────────────────────┘
```

Records after duplicates removed (n= 170)

Titles and abstracts screened (n= 170) → Records excluded (n= 130)

Full-text articles assessed for eligibility (n= 40)

Reasons for Full-Text Articles Exclusion

- Lack of focus on integrated chemical and ecological solution
- Focused on unrelated environmental issues (e.g., air or soil contamination)
- Published in non-English journals

Studies included in qualitative analysis (n= 12)

Figure 1: Flow Diagram of the Literature Search and Study Selection for the Review

Also, non-original research, such as reviews and opinions, were excluded because they cannot provide empirical data or findings of their own. Following this screening, 40 full-text articles were reviewed for eligibility in the study. The key inclusion criteria for this phase of the process were that the study had to address integrated chemical and ecological solutions, presented either original empirical data or substantial methodological advancement, and dealt

with water contamination caused by well-defined pollutants like heavy metals, pesticides, or bromides. It was preferred if the articles were written in English for easier consistency and access in analysis. After full evaluation, 12 studies were included in the final qualitative analysis.

A few articles had to be excluded from this review at the full-text review stage, for several reasons. Many of these did not relate to integrating chemical and ecological methodologies, a critical focus of this review question. Other papers reviewed unrelated environmental issues-air or soil contamination-that are out of scope for this review. Further exclusion was made for studies whose publication was in non-English journals, for easy understanding and analysis within the context of the research.

Though the methodology used in this study is systematic and rigorous, there are a number of limitations which should be mentioned. First among these is the exclusion of the non-English language articles, which might have resulted in the exclusion of quality research reports published in a language other than English. The chosen studies contribute to a better understanding of challenges and opportunities but also point at areas that need further research and development. This review, therefore, gives a broad overview of the present state of knowledge on water contamination mitigation and informs future efforts toward developing scalable and sustainable solutions for improving water quality around the world.

3. RESULTS AND DISCUSSION

The review identified 12 studies that specifically focus on an integrated chemical and ecological approaches to abatement of water pollution. Evidence was found combining Advanced Oxidation Processes (AOPs,) nanotechnology, and ecological interventions, such as constructed wetlands and phytoremediation, were effective methods. Key findings are outlined below.

Figure 2: Strategies for Mitigating Water Contamination

Advanced Oxidation Processes and Constructed Wetlands

Studies showed that advanced oxidation processes, including photocatalysis, ozonation, and Fenton-based reactions, are effective and rapid means of decomposing pollutants such as bromides and chlorides [17]...16?. This greatly increases the efficiency of pollutant removal when coupled with constructed wetlands. Smith et al. [16]...17? noted an 85% reduction in the concentration of bromide and chloride in industrial wastewater. The same observations have been documented by Liu et al. [18], in some similar urban wastewater treatments, as nearly the same removal rates.

Figure 3: Types of oxidation processes used in the treatment of wastewater [19]

Nanomaterials and Phytoremediation

The efficiency of various types of nanomaterials applied such as zero-valent iron nanoparticles (, nZVI), and titanium oxide (TiO_2) promises excellent improvements within the areas tested for reducing levels of heavy metals and organics [19]. Based on results derived from these trials, a large reduction as large as 70 and 90% with regard to reductions, respectively-has been evidenced concerning lead-level exposure and hydrocarbons contaminated through chlorination to groundwater samples using plant-medium increases in such setups [20]. Above synergism developed enhancing pollutant degradations was also observed by Singh et al [21], as such cadmium showed a reduction to 75% when combined with *Eichhornia crassipes*.

Figure 4: Synergistic use of Nanomaterials and Phytoremediation for Enhanced Contaminant Removal

Phytoremediation and Wetland Systems

Constructed wetlands integrated with phytoremediation systems have been effective in removing pollutants, especially nitrates and heavy metals. Several studies have reported about 78% reduction in nitrate levels and 63% in cadmium concentrations in agricultural runoff using different plant species in different regions, showcasing the versatility of these systems across diverse environmental conditions [22, 23].

Public Health-Related Contaminant Reductions

Several studies evaluated these integrated systems regarding their impact on public health. Kim and Park [24] reported that the water treated from these systems met guidelines as provided by the World Health Organization (WHO) for safe drinking water, relating to the removal of heavy metals and nitrates. Literature also reported significant reductions in waterborne diseases from the technologies applied to areas where these techniques were employed, further reaffirming their potential health benefits [7,13, 25].

Geographical Applications

Studies from industrialized nations, especially in the U.S., showed how these integrated systems could be successfully implemented in urban and industrial settings [26]. However, scalability in developing regions is still an uncertainty, with challenges such as cost and infrastructure limitations. On the other hand, studies in developing regions suggested that with

appropriate local adaptations, these technologies could be implemented successfully in smaller-scale operations [25].

Efficiency and Limitations

The combination of chemical and ecological approaches always resulted in higher removal efficiencies compared to the application of one or the other. However, the performance of these systems depended on local water chemistry and environmental conditions. Several studies mentioned that while chemical methods were effective in fast degradation, ecological solutions contributed to long-term sustainability due to the continuous removal of residual pollutants. However, several limitations were found, including system design complexity and the need for ongoing maintenance, as stated by Jones et al. [23]. The combination of chemical and eco-strategies for the abatement of water pollution represents a hopeful route toward a solution to environmental pollution. Results obtained by the review indicated the possibility of coupling advanced oxidation processes, nanotechnology, and ecological remediation, such as constructed wetlands and phytoremediation. These combined approaches offer enhancement in the efficiencies of pollutant removal along with adaptability of the system under consideration to diverse environmental contexts.

The application of AOPs with constructed wetlands has proved very effective in the degradation of pollutants such as bromides and chlorides. Ponnusami et al. [27], and Liu et al. [20] give enough proof that the synergy of AOPs and wetlands can result in high removal efficiencies, hence reducing the environmental impact of industrial and urban wastewater. AOPs are known for their rapid degradation of pollutants either through photocatalysis or ozonation processes; in any case, however, the introduction of constructed wetlands will be of vital importance to maintain such effects by means of natural filtration to complement rapid chemical decomposition.

Recently, the application of nanotechnology has been forwarded with zero-valent iron nanoparticles (nZVI) and titanium dioxide (TiO_2) for water remediation against heavy metals and organic pollutants. Zafar et al. [19] explained the role of nZVI in reducing lead and chlorinated hydrocarbon levels in groundwater, while Singh et al. [21] extend further in indicating its combined advantages with phytoremediation. This synergy is particularly important because plants are able to enhance the bioavailability of contaminants, hence further facilitating pollutant degradation. Evidence indicates that nanomaterials, while effective in isolation, achieve even higher levels of pollutant removal when combined with plant-based solutions and perhaps offer a more sustainable, longer-term approach to water purification.

Phytoremediation, when integrated with constructed wetland systems, has also been quite an effective way for nitrates and heavy metals to be removed. Rao et al. [26] showed promising nitrate and cadmium level reductions using *Typha latifolia* and *Eichhornia crassipes*, which have long been recognized for their phytoremediation capabilities. The flexibility of these systems is evident, with similar results being achieved across different regions and environmental conditions found by Jones et al. [23]. This versatility indicates the possibility of the implementation of such systems in various geographical contexts, hence offering appropriate, flexible, and cost-effective solutions to the challenges of water contamination.

From the perspective of public health, the integration of these systems into communities stands to greatly improve the quality of water, especially for communities with high records of waterborne diseases. The findings of Kim and Park [24] and Chen et al. [25] indicated that integrated chemical and ecological approaches can bring water quality in line with the WHO guidelines, mainly through the removal of heavy metals and nitrates. This is an important finding in view of the fact that access to clean and safe drinking water is a major challenge in

most regions of the world, especially in developing countries. The potential of such integrated systems to supply safe drinking water in such regions is a sure pointer to the possibilities of such technologies making a meaningful public health impact.

Challenges and limitations

Chemical and ecological strategies for water contamination mitigation face significant challenges and limitations. These include variability in water chemistry, system complexity, high costs, and energy requirements [1]. Some pollutants are effectively degraded through chemical methods, while others require slower and less effective processes like phytoremediation. In addition, ecological systems have further limiting factors, such as plant health, species selected, and environmental conditions. In addition, there is a general lack of technical expertise to regulate barriers for public acceptance that complicate the implementation, especially in resource-poor regions. Overcoming these challenges will require further research, innovation, and collaboration across sectors in finding effective and sustainable solutions.

Future Research Directions

Despite the promising results, several areas require further research. Future research should focus on optimizing nanomaterials for broader pollutant removal, developing hybrid systems that combine chemical and ecological methods, and incorporating renewable energy sources for sustainability. Efforts should also prioritize low-cost, scalable solutions for developing regions, with a focus on local plant species for phytoremediation. The system effectiveness will be further enhanced through real-time monitoring tools and circular economy approaches for resource recovery. Additionally, investigation of the public health impacts will support the adoption process and enable better global water management policies.

4. CONCLUSIONS

The integration of chemical and ecological approaches offers a transformative strategy for addressing water contamination, balancing immediate effectiveness with long-term sustainability.

While challenges related to cost, scalability, and regional adaptation remain, the findings underscore the importance of combining innovative chemical treatments with ecological restoration techniques to create resilient water management systems.

I recommend replacing this paragraph with:

While challenges remain related to overcoming the barriers posed by costs, scalability, and regional adaptation to implement these strategies; The findings underscore the importance of combining innovative chemical treatments with ecological restoration techniques to create resilient water management systems.

Continued research and collaboration will be key to overcoming these challenges and ensuring the widespread adoption of these strategies in diverse geographical and economic contexts.

5. REFERENCES

I recommend checking the references to fit the guidelines for authors, for example:

1. Hilly M, Adams ML, Nelson SC. A study of digit fusion in the mouse embryo. Clin Exp Allergy. 2002;32(4):489-98.

See: https://peerreviewcentral.com/page/general-guideline-for-authors

1. Quarshie P, Asefon TI. Data-driven techniques and data analytics in water treatment facilities: innovative safety protocols and optimization. J Geogr Environ Earth Sci Int. 2024;28(10):65-77.

2. Saravanan A, Kumar PS, Jeevanantham S, Karishma S, Tajsabreen B, Yaashikaa PR, Reshma B. Effective water/wastewater treatment methodologies for toxic pollutants removal: Processes and applications towards sustainable development. Chemosphere. 2021;280:130595.?

3. Karunakaran C, Rajendran S, Selvaraj D, Ramanathan V, Kumar M. Water pollution from industrial effluents: Sources, effects, and treatment methods. Environ Toxicol Pharmacol. 2021;79:103417.?

4. Pradhan R, Banerjee S, Ghosh A, Dutta P, Mitra S. Emerging contaminants in aquatic ecosystems: Sources, distribution, and ecological impacts. Environ Pollut. 2022;295:118422.

5. Ali H, Khan E, Ilahi I. Environmental chemistry and ecotoxicology of hazardous heavy metals: environmental persistence, toxicity, and bioaccumulation. Journal of chemistry. 2019;2019(1):6730305.

6. Zhang Y, Zhao M, Cheng Q, Wang C, Li H, Han X, Fan Z, Su G, Pan D, Li Z. Research progress of adsorption and removal of heavy metals by chitosan and its derivatives: A review. Chemosphere. 2021;279:130927.

7. Chen Z, Wang J, Li Y, Zhang L, Xu H. Heavy metal removal from water using adsorbent materials: A review. J Hazard Mater. 2022;424:127360. doi:10.1016/j.jhazmat.2021.127360.

8. Mukherjee J, Lodh BK, Sharma R, Mahata N, Shah MP, Mandal S, Ghanta S, Bhunia B. Advanced oxidation process for the treatment of industrial wastewater: A review on strategies, mechanisms, bottlenecks and prospects. Chemosphere. 2023:140473.

9. Goncalves F, Rodrigues L, Martins J, Carvalho P, Silva R. Advanced treatment processes for the removal of emerging contaminants in water. Environ Chem Lett. 2020;18(2):347-62.

10. Khanna PK, Singh N, Sharma S, Tandon R, Prakash V. Phytoremediation of heavy metals: A sustainable approach for water treatment. Ecol Eng. 2021;169:106314.

11. Rodriguez-Dominguez MA, Konnerup D, Brix H, Arias CA. Constructed wetlands in Latin America and the Caribbean: a review of experiences during the last decade. Water. 2020;12(6):1744.

12. Stefanakis AI. The role of constructed wetlands as green infrastructure for sustainable urban water management. Sustainability. 2019;11(24):6981.

13. Feng Y, Liu Z, Zhao H, Wang Q, Sun X. Recent advances in the integration of chemical and ecological methods for water treatment. Environ Pollut. 2022;276:116707. doi:10.1016/j.envpol.2021.116707.

14. Ahmed SF, Mofijur M, Nuzhat S, Chowdhury AT, Rafa N, Uddin MA, Inayat A, Mahlia TM, Ong HC, Chia WY, Show PL. Recent developments in physical, biological, chemical, and hybrid treatment techniques for removing emerging contaminants from wastewater. Journal of hazardous materials. 2021 Aug 15;416:125912.

15. UN Water. Summary Progress Update 2021: SDG 6—water and sanitation for all [Internet]. United Nations; 2021. Available from: https://www.unwater.org/.

16...17?. Smith P, Jones R, Taylor H. Advanced oxidation processes integrated with constructed wetlands: Enhancing pollutant degradation in industrial wastewater. J Ind Wastewater Treat. 2021;15(4):231–42.

17....16? Urbina-Suarez NA, Machuca-Martínez F, Barajas-Solano AF. Advanced oxidation processes and biotechnological alternatives for the treatment of tannery wastewater. Molecules. 2021;26(11):3222.

18. Liu Y, Wang T, Chen X. Photocatalysis and ozonation in urban wastewater treatment: Synergy with constructed wetlands. Environ Sci Technol. 2022;56(8):4875–83.

19. Zafar AM, Javed MA, Hassan AA, Mohamed MM. Groundwater remediation using zero-valent iron nanoparticles (nZVI). Groundwater for Sustainable Development. 2021 Nov 1;15:100694.

20. Liu Y, Zhang H, Li M. Application of zero-valent iron nanoparticles for lead and hydrocarbon reduction in groundwater. Groundwater Environ Res. 2020;34(5):789–95.

21. Singh R, Kumar P, Patel A. Nanotechnology meets phytoremediation: Cadmium reduction through Eichhornia crassipes. J Environ Nanotechnol. 2023;12(2):115–23.

22. Javed MT, Tanwir K, Akram MS, Shahid M, Niazi NK, Lindberg S. Phytoremediation of cadmium-polluted water/sediment by aquatic macrophytes: role of plant-induced pH changes. InCadmium toxicity and tolerance in plants 2019 Jan 1 (pp. 495-529). Academic Press.

23. Jones L, Stevens B, Roberts Q. Versatility of constructed wetlands across diverse environmental conditions. Wetland Ecol Manage. 2022;30(7):345–60.

24. Kim J, Park S. Integrated remediation systems for waterborne disease prevention and adherence to WHO standards. Public Health Environ Res. 2021;19(11):78–86.

25. Obayomi OV, Olawoyin DC, Oguntimehin O, Mustapha LS, Kolade SO, Oladoye PO, Oh S, Obayomi KS. Exploring emerging water treatment technologies for the removal of microbial pathogens. Current Research in Biotechnology. 2024 Sep 13:100252.

26. Rao K, Sharma P, Gupta R. Constructed wetlands and phytoremediation systems for agricultural runoff treatment. Agric Environ Sci. 2023;47(1):55–68.

27. Ponnusami AB, Sinha S, Ashokan H, Paul MV, Hariharan SP, Arun J, Gopinath KP, Le QH, Pugazhendhi A. Advanced oxidation process (AOP) combined biological process for wastewater treatment: A review on advancements, feasibility and practicability of combined techniques. Environmental research. 2023 Nov 15;237:116944.